

Commessa	Cliente	Data creazione	Data modifica	Pezzi totali
test-rectagular		04/11/2008	04/11/2008	4

Pezzo 3D		Descrizione pezzo																																		
	ID	Nome	N° Ripet.	N° Parti	Isolante	Note																														
	1	Vertical fillet shift with different rectangular sections and additional shift on depth	1	4																																
<table border="1"> <thead> <tr> <th>Quota</th> <th>Descrizione</th> <th>Valore</th> </tr> </thead> <tbody> <tr><td>Hs</td><td>Height (left)</td><td>240</td></tr> <tr><td>Ps</td><td>Depth (left)</td><td>180</td></tr> <tr><td>Hd</td><td>Height (right)</td><td>180</td></tr> <tr><td>Pd</td><td>Depth (right)</td><td>90</td></tr> <tr><td>Sh</td><td>Shift (height)</td><td>270</td></tr> <tr><td>Sp</td><td>Shift (depth)</td><td>45</td></tr> <tr><td>Rs</td><td>Straight part (left)</td><td>50</td></tr> <tr><td>Rd</td><td>Straight part (right)</td><td>50</td></tr> <tr><td>L</td><td>Length</td><td>700</td></tr> </tbody> </table>							Quota	Descrizione	Valore	Hs	Height (left)	240	Ps	Depth (left)	180	Hd	Height (right)	180	Pd	Depth (right)	90	Sh	Shift (height)	270	Sp	Shift (depth)	45	Rs	Straight part (left)	50	Rd	Straight part (right)	50	L	Length	700
Quota	Descrizione	Valore																																		
Hs	Height (left)	240																																		
Ps	Depth (left)	180																																		
Hd	Height (right)	180																																		
Pd	Depth (right)	90																																		
Sh	Shift (height)	270																																		
Sp	Shift (depth)	45																																		
Rs	Straight part (left)	50																																		
Rd	Straight part (right)	50																																		
L	Length	700																																		
<table border="1"> <thead> <tr> <th>Tipo</th> <th>Nome</th> <th>Dimensioni</th> </tr> </thead> <tbody> <tr><td>Longitudinal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> </tbody> </table>							Tipo	Nome	Dimensioni	Longitudinal	Liscio	0 - 0	Transversal	Liscio	0 - 0	Transversal	Liscio	0 - 0																		
Tipo	Nome	Dimensioni																																		
Longitudinal	Liscio	0 - 0																																		
Transversal	Liscio	0 - 0																																		
Transversal	Liscio	0 - 0																																		

	ID	Nome	N° Ripet.	N° Parti	Isolante	Note																																																
	2	Two rectangular and tilted sleeves on a cylinder	1	3																																																		
<table border="1"> <thead> <tr> <th>Quota</th> <th>Descrizione</th> <th>Valore</th> </tr> </thead> <tbody> <tr><td>D</td><td>Diameter</td><td>300</td></tr> <tr><td>L</td><td>Length (cylinder)</td><td>500</td></tr> <tr><td>L1</td><td>Width (sleeve 1)</td><td>200</td></tr> <tr><td>P1</td><td>Depth (sleeve 1)</td><td>100</td></tr> <tr><td>H1</td><td>Length (sleeve 1)</td><td>200</td></tr> <tr><td>D1</td><td>Distance (sleeve 1)</td><td>250</td></tr> <tr><td>a1</td><td>Angle (sleeve 1)</td><td>45</td></tr> <tr><td>Np1</td><td>Nr. pieces for sleeve 1 (1/4)</td><td>1</td></tr> <tr><td>L2</td><td>Width (sleeve 2)</td><td>200</td></tr> <tr><td>P2</td><td>Depth (sleeve 2)</td><td>150</td></tr> <tr><td>H2</td><td>Length (sleeve 2)</td><td>200</td></tr> <tr><td>D2</td><td>Distance (sleeve 2)</td><td>350</td></tr> <tr><td>a2</td><td>Angle (sleeve 2)</td><td>30</td></tr> <tr><td>Np2</td><td>Nr. pieces for sleeve 2 (1/4)</td><td>1</td></tr> <tr><td>b</td><td>Angle between the two sleeves</td><td>180</td></tr> </tbody> </table>							Quota	Descrizione	Valore	D	Diameter	300	L	Length (cylinder)	500	L1	Width (sleeve 1)	200	P1	Depth (sleeve 1)	100	H1	Length (sleeve 1)	200	D1	Distance (sleeve 1)	250	a1	Angle (sleeve 1)	45	Np1	Nr. pieces for sleeve 1 (1/4)	1	L2	Width (sleeve 2)	200	P2	Depth (sleeve 2)	150	H2	Length (sleeve 2)	200	D2	Distance (sleeve 2)	350	a2	Angle (sleeve 2)	30	Np2	Nr. pieces for sleeve 2 (1/4)	1	b	Angle between the two sleeves	180
Quota	Descrizione	Valore																																																				
D	Diameter	300																																																				
L	Length (cylinder)	500																																																				
L1	Width (sleeve 1)	200																																																				
P1	Depth (sleeve 1)	100																																																				
H1	Length (sleeve 1)	200																																																				
D1	Distance (sleeve 1)	250																																																				
a1	Angle (sleeve 1)	45																																																				
Np1	Nr. pieces for sleeve 1 (1/4)	1																																																				
L2	Width (sleeve 2)	200																																																				
P2	Depth (sleeve 2)	150																																																				
H2	Length (sleeve 2)	200																																																				
D2	Distance (sleeve 2)	350																																																				
a2	Angle (sleeve 2)	30																																																				
Np2	Nr. pieces for sleeve 2 (1/4)	1																																																				
b	Angle between the two sleeves	180																																																				
<table border="1"> <thead> <tr> <th>Tipo</th> <th>Nome</th> <th>Dimensioni</th> </tr> </thead> <tbody> <tr><td>Longitudinal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Longitudinal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> <tr><td>Transversal</td><td>Liscio</td><td>0 - 0</td></tr> </tbody> </table>							Tipo	Nome	Dimensioni	Longitudinal	Liscio	0 - 0	Transversal	Liscio	0 - 0	Transversal	Liscio	0 - 0	Longitudinal	Liscio	0 - 0	Transversal	Liscio	0 - 0	Transversal	Liscio	0 - 0																											
Tipo	Nome	Dimensioni																																																				
Longitudinal	Liscio	0 - 0																																																				
Transversal	Liscio	0 - 0																																																				
Transversal	Liscio	0 - 0																																																				
Longitudinal	Liscio	0 - 0																																																				
Transversal	Liscio	0 - 0																																																				
Transversal	Liscio	0 - 0																																																				

	ID	Nome	N° Ripet.	N° Parti	Isolante	Note																																																																														
	3	Triforcazione con profondità, spostamenti e angoli diversi	1	12																																																																																
<table border="1"> <thead> <tr> <th>Nome</th> <th>Descrizione</th> <th>Valore</th> </tr> </thead> <tbody> <tr><td>L1</td><td>Width (central bottom)</td><td>200</td></tr> <tr><td>P1</td><td>Depth (bottom)</td><td>280</td></tr> <tr><td>L2</td><td>Width (top)</td><td>400</td></tr> <tr><td>P2</td><td>Depth (top)</td><td>400</td></tr> <tr><td>K</td><td>Straight part (top)</td><td>60</td></tr> <tr><td>S</td><td>Shift on depth (top)</td><td>100</td></tr> <tr><td>H</td><td>Height</td><td>770</td></tr> <tr><td>Lsx</td><td>Width (bottom left)</td><td>400</td></tr> <tr><td>Hsx</td><td>Width (left side)</td><td>350</td></tr> <tr><td>Psx</td><td>Depth (left side)</td><td>270</td></tr> <tr><td>RIsx</td><td>Radius (internal) (left)</td><td>180</td></tr> <tr><td>REsx</td><td>Radius (external) (left)</td><td>280</td></tr> <tr><td>asx</td><td>Tilt (left)</td><td>90</td></tr> <tr><td>Osx</td><td>Straight part (bottom left)</td><td>90</td></tr> <tr><td>Vsx</td><td>Straight part (left side)</td><td>60</td></tr> <tr><td>Ssx</td><td>Shift on depth (left side)</td><td>0</td></tr> <tr><td>Sdx</td><td>Shift on depth (right side)</td><td>0</td></tr> <tr><td>Ldx</td><td>Width (bottom right)</td><td>400</td></tr> <tr><td>Hdx</td><td>Width (right side)</td><td>350</td></tr> <tr><td>Pdx</td><td>Depth (right side)</td><td>270</td></tr> <tr><td>RIdx</td><td>Radius (internal) (right)</td><td>180</td></tr> <tr><td>REdx</td><td>Radius (external) (right)</td><td>280</td></tr> <tr><td>adx</td><td>Tilt (right)</td><td>90</td></tr> <tr><td>Odx</td><td>Straight part (bottom right)</td><td>90</td></tr> <tr><td>Vdx</td><td>Straight part (right side)</td><td>60</td></tr> </tbody> </table>							Nome	Descrizione	Valore	L1	Width (central bottom)	200	P1	Depth (bottom)	280	L2	Width (top)	400	P2	Depth (top)	400	K	Straight part (top)	60	S	Shift on depth (top)	100	H	Height	770	Lsx	Width (bottom left)	400	Hsx	Width (left side)	350	Psx	Depth (left side)	270	RIsx	Radius (internal) (left)	180	REsx	Radius (external) (left)	280	asx	Tilt (left)	90	Osx	Straight part (bottom left)	90	Vsx	Straight part (left side)	60	Ssx	Shift on depth (left side)	0	Sdx	Shift on depth (right side)	0	Ldx	Width (bottom right)	400	Hdx	Width (right side)	350	Pdx	Depth (right side)	270	RIdx	Radius (internal) (right)	180	REdx	Radius (external) (right)	280	adx	Tilt (right)	90	Odx	Straight part (bottom right)	90	Vdx	Straight part (right side)	60
Nome	Descrizione	Valore																																																																																		
L1	Width (central bottom)	200																																																																																		
P1	Depth (bottom)	280																																																																																		
L2	Width (top)	400																																																																																		
P2	Depth (top)	400																																																																																		
K	Straight part (top)	60																																																																																		
S	Shift on depth (top)	100																																																																																		
H	Height	770																																																																																		
Lsx	Width (bottom left)	400																																																																																		
Hsx	Width (left side)	350																																																																																		
Psx	Depth (left side)	270																																																																																		
RIsx	Radius (internal) (left)	180																																																																																		
REsx	Radius (external) (left)	280																																																																																		
asx	Tilt (left)	90																																																																																		
Osx	Straight part (bottom left)	90																																																																																		
Vsx	Straight part (left side)	60																																																																																		
Ssx	Shift on depth (left side)	0																																																																																		
Sdx	Shift on depth (right side)	0																																																																																		
Ldx	Width (bottom right)	400																																																																																		
Hdx	Width (right side)	350																																																																																		
Pdx	Depth (right side)	270																																																																																		
RIdx	Radius (internal) (right)	180																																																																																		
REdx	Radius (external) (right)	280																																																																																		
adx	Tilt (right)	90																																																																																		
Odx	Straight part (bottom right)	90																																																																																		
Vdx	Straight part (right side)	60																																																																																		

Pezzo 3D	Descrizione pezzo		
	Tipo	Nome	Dimensioni
	Longitudinal	Liscio	0 - 0
	Transversal	Liscio	0 - 0
	Transversal	Liscio	0 - 0

Pezzo 3D	Descrizione pezzo					
	ID	Nome	N° Ripet.	N° Parti	Isolante	Note
	4	Tilted elbow with shift on depth and different rectangular sections	1	4		
	Quota	Descrizione	Valore			
Li	Width (bottom)	400				
Pi	Depth (bottom)	400				
Ls	Width (top)	300				
Ps	Depth (top)	300				
Ri	Radius (internal)	120				
Re	Radius (external)	300				
a	Angle	90				
S	Shift (depth)	250				
O	Straight part (horizontal)	30				
V	Straight part (vertical)	30				
	Tipo	Nome	Dimensioni			
	Longitudinal	Liscio	0 - 0			
	Transversal	Liscio	0 - 0			
	Transversal	Liscio	0 - 0			